BUILDING COLLAPSE IN NIGERIA: THE CAUSES, EFFECTS, CONSEQUENCES AND REMEDIES.

Assoc. Prof I.G Chendo and Arc. N. I. Obi

Department of Architecture, University of Nigeria, Enugu Campus.

ABSTRACT: Building collapses in Nigeria have been on the increase in recent times. There are frequent media reports of collapsed of buildings in major Nigerian cities like Lagos, Abuja, and Port Harcourt, etc and other parts of the world. In an attempt to find lasting solutions to tackle the challenges, this paper examines causes of building collapse in Nigeria and also enumerated specific areas the stakeholders in the building industry and the general public are affected. The problems range from faulty design, negligence, incompetence, faulty construction, foundation failures, extraordinary loads and corruption. Forces of nature were also identified as part of causes of building collapse. Some recommendations were made as part of lasting solutions to tackle the challenges.

KEYWORDS: Building collapse, Building Industry, Extraordinary loads, Faulty design, lasting Solution.

INTRODUCTION

Incidences of building collapse in Nigeria are posing serious challenges to all the stakeholders in the building industry- building consultants, governments, developers, landlords and users. Typical examples of collapsed buildings are listed in Tables 1,11, 111. Others include collapse of Multi-Storey Building in Mokola, Ibadan,Oyo State (1974), building under construction at Benjamin Opara Street, Port Harcourt, Rivers State, (2006) and many others. (Olagunji et al, 2013). On the Night of November, 2012, an uncompleted 3 storey building collapsed in a water logged area of Owerri during a heavy downpour. Fake cement was used, supervised by a chemist! On May, 15th, a 4 storey building under construction revealed that building regulations permit a maximum of 2 floors in the area. On 5th September, 2013, a 4 storey building under construction, collapsed at 24 Obanye Street in Onitsha, during a downpour.

(Source. Author's Secondary data).

Year	Structure	Location	Туре	Casualties	Causes
2006	Building under	Benjamin Okpara	Residential	0	Structural
	construction	Street, Port Harcourt			Failure
		Rivers State, Nigeria			
1974	Multi-storey	Mokola, Ibadan, Oyo	Office Block	0	Structural
	Building	State Nigeria			Failure
1980	Building at	Kaduna, Kaduna	Residential	Not	Defective
	Barnawa Housing	State, Nigeria		Available	material
	Estate	-			

Table 1. List of Selected Collapsed Buildings in Nigeria.

1988	Two-storey Building at Isinka, Akure	Akure, Ondo State Nigeria	Block of Flats	Not Available	Structural Failure
1998	Two-storey Building at Funbi Fagun Street, Abeokuta	Abeokuta, Ogun State, Nigeria	Residential	Not Available	Structural Failure

Source: Olagunji et al (2013).

Table. 11 List of Selected Collapsed Buildings in Nigeria.

Year	Structure	Location	Туре	Casualties	Causes
2012	Three storey Building at	Enugu, Enugu State	Block of	Not	Structural
	16 Nnobi str. Enugu	Nigeria	flats	Available	Failure
2012	An uncompleted One-	Awka, Anambra	Residential	Not	Deffective
	storey Building at Awka	State, Nigeria		Available	material
2012	Uncompleted three-	Owerri, Imo State,	Block of	Not	Flooding
	storey Building at	Nigeria	Flats	Available	
	Water logged area of				
	Owerri.				
2012	Four-storey Building	Umuahia, Abia	Block of	Undisclosed	Non-adherence
	under construction at	State, Nigeria	flats	number of	to building
	Agbama Estate,			squatters on	Regulation that
	Unuahia			the ground	permits only 2
				floor	floors in the
				perished	area.
2013	Four-storey Building	Onitsha, Anambra	Commercia	Not	Heavy Rainfall
	collapsed at Abanye Str.	State Nigeria	1 Building	Available	flooding
	Onitsha during a	_	_		
	downpour				

Source: Author's Secondary Data (2013)

Table 111. List of Selected Collapsed Buildings across the Globe

Year	Structure	Location	Туре	Casualties
226 BC	colossus of Rhodes	city of Rhodes, island of Rhodes	Statue	0
27 AD	Fidenae amphitheatre	Fidenae, Italia, roman empire	Amphitheatre	20,000+
140	upper tier collapse of the circus maximus	Rome, Italia, roman empire	Amphitheatre	- 13,000
558	dome of hagia Sophia	Constantinople, Byzantine empire	Church	0
1284	choir of beauvais cathedral	beauvais, France	Church	0
1382	Bell tower of st. Mary's church, straslsund	Stralsund, hanseatic league (now in Germany)	Church	0
1444	Riatlo bridge	Venice, republic of Venice	Bridge	0
1500	Malmesbury abbey	Malmesbury, England	Church	0
1549	Lincoln cathedral	Lincoln, England	Church	
1573	Tower of beauvais cathedral	Beauvais, France	Church	
1647	Tower of St. marine- kriche	Stalsund, duchy of pomerania (now in germany)	Church	

1666	St. peters church, Riga	Riga, Sweden (now in Latvia)	Church	
1845	Yarmouth bridge	Yarmouth, UK	bridge	
1887	Bussey bridge disaster	Boston, USA	bridge	
1908	Gorlitz City Hall	Gorlitz,Germany	hall	79
1916	Quebec Bridge	Quebec, City, Canada	bridge	24-30
1968	Ronan Point collpse	London, UK	High rise	
I977	Granville Railway bridge	Sydney, Australia	bridge	11
1981	Hyatt Regency walkway collapse	Kansas, City Missouri, US	Walkway	4
1993	Highland Towers collapse (Block1)	Kualar Lumpur, Malaysia	Residential Tower	83
1995	Sampoog Department store collapse	Seoul, South Korea	Commercial building	114
1998	Palace 11 collapse	Rio de Jenairo,Brazil	Residential tower	48
1998	Knick-Ei	Halstenbek,Germany	Sports Hall	502
2001	Hintze Ribeiro bridge	Castelo de Paiva, Portugal	bridge	8
2001	Collapse of the World Trade Center	New York City,USA	Skyscrapers	0
2006	Katowice Trade Hall roof collapse	Katowice, Poland	Roof	59
2010	Hubert h Humphrey Metrodome roof collapse	Minneapolis,USA	Stadium Roof	2,606 in Towers 1 and 2
2012	Algo Center Mall	Elliot Lake, Ontario, Canada	Shoping mall	65
2013	Building under construction	Sao Paulo, Brazil	Building	0

Source. Wikepedia

Causes of building collapse are traceable to many factors. Firstly, buildings collapse due to human errors such as faulty design, faulty construction, and use of substandard building materials, negligence, omissions, ignorance, quackery, corruption and sabotage. The second factor is natural occurrence such as flood, earthquakes, heavy wind e.t.c.

AIMS AND OBJECTIVE OF THE STUDY

Aim of Study

The aim of this study is to identify the major causes of building collapse in Nigeria and its implication to the stakeholders of the building process and the general public.

Objective of Study

- To identify the major causes of building collapses in Nigerian cities.
- To evaluate the rate of building collapses in the country and its effects on the stakeholders in the building industry.
- To suggest solutions to tackle the problems.

LITERATURE REVIEW

Oloyede, et al (2010) attributed causes of building collapse as due to man's negligence in some vital areas in construction such as soil investigation, incorporating design for extra loads, stress from winds, earthquakes, uneven terrain, use of substandard building materials, poor monitoring and overall poor workmanship.

Madu, 2005, identified causes of building failure as due to natural occurrences such as earthquakes, tornadoes, flood, etc. Other causes according to him include factors such as omission, carelessness, leading to use of deficient structural drawings, absence of proper supervision of projects, alteration of approved drawings, use of substandard materials, corruption in the Nigerian system, building without approved drawings and translocation of building plans to different sites.

Adebayo, (2000), opined that efficiency in skill and experience is important in creating valuable workmanship in building construction.

Ayinuola et al, (2004), pointed accusing finger to all parties in the building industry, clients, architects, engineers, town planners in the local authorities and contractors stating that they have contributed to building failures in various dimensions.

Tyagler et al, (2007) traced the causes of building failures to defects or deficiencies at designand construction stages.

Ukpata, (2006), opined that the spate of building collapse in the country can always be traced to unsafe actions of parties involved in building process starting from clients to building consultants, contractors and users.

Adebayo, (2006), opined that building collapse incidences can be controlled or minimized if the client is ready to pay for high quality materials and for expert professional services.

CONCEPTUAL FRAMEWORK

Collapse of building either total or partial collapse of some of its components leads to the failure of building to perform its intended function of protection, safety or stability (Olagunyi, et al, 2013)

According to Ikpo, (1998), the degree of building failure can be related to the degree of deviation of the building from its "as built" state which in most cases represents the acceptable standard within the neighborhood, locality, state or country.

METHODOLOGY

This study will be based on personal experience of the author and also secondary data from journals, reports, internet, and previous works of other authors on the subject matter.

DISCUSSION

Identified Causes of Building Collapse.

Through the author's personal experience and through investigations and media reports, identified causes of building collapse in the country can be summarized as follows;

Defective Design: Defective Architectural and Engineering drawing may result if architects fail to do or insist on the carrying out of feasibility studies, soil and site investigation which are the bases for design of adequate architectural and structural drawings. Others include poor design details, low quality materials and works specifications. Engineers (structure and civil) may contribute if they fail to insist on carrying out essential soil test, foundation design. Errors, omissions and inaccurate data from professionals may lead to problems if not detected on time.

Defective Construction: This arises when contractors fail to carry out the works in accordance with architects and engineers' specifications. They do this in order to maximize profit. Sometimes specified materials are substituted for substandard ones. Others areas of concern include poor concrete mixes, premature removal of formworks and general poor workmanship.

Use of Substandard Materials: Use of substandard blocks from block factories. Investigation revealed that 1 bag of cement is used to mould 40-45 numbers of 225mm (9ins.) blocks. Without adequate supervision, contractors can engage in sharp practices. Cement-Sand ratio is better obtained in weight and not in volume. It is necessary that steel reinforcement bars undergo tensile strength tests to determine its standard strength. The country and the higher institutions cannot boast of adequate number of laboratories to carry out these tests including concrete cube tests for concrete and water quality. The use of substandard materials and untested construction methods is a major contributor to structural failures of buildings.

Absence of Building or Planning Permit: It is illegal to commence construction works without approved drawings from the approving authorities. The 3 tiers of government- the Commission (for Federal Lands), the Board (for State lands), and the Authority (for Local Governments lands), are vested with the duties of granting approval to prospective developers. Sometimes defective drawings are used for constructio without approval from the approving authorities. Some are done out of ignorance. Others are done where the operation of the authorities are ineffective.

Corruption: Sometimes drawings are not read by officers of the approving authority to detect defects. They sometimes engage in corrupt practices by granting illegal approvals.

Non-Adherence to approved building plans: This comes in form of illegaol alteration to approved drawings. Sometimes, a building originally specified to undergo in-situ coccreting is changed to pre-cast methods because the expatriate contractor tends to prefabricate the components overseas and ship to Nigeria. This practice if not properly controlled could spell danger years after the buildings are in use.

Absence of proper site and soil investigation: The avoidance of this to determine suitability of the terrain and soil's bearing capacity, which influences foundation types spells danger.

Engagement of inexperienced personnel to take charge of construction works: Sometimes firms resort to use unqualified staff to act as principals on constuction sites in order to save cost. The consequence of this practice is that the unqualified staff may not be competent enough to detect fraudulent practices of smart contractors. This may lead to covering up of shoddy or defective works.

Engagement of ill-equipped, incompetent contractors:

In Nigeria, it is common that most contracts are first awarded to businessmen who front for politicians. The practice is that the businessman gets the contract and sells it to incompetent contractors known to them without following the normal contract procedures and without investigating the competency of the contractor. The result is shoddy performance which can lead to building collapse.

Lack of proper supervision, inspection and monitoring of construction works

Building professionals both in practice and in government agencies more often are guilty of this practice either due to negligence or they are not paid to do so.

Illegal conversion, alteration, and additions to existing structures. Imposing additional floors beyond original design provision is a common practice in Nigeria. For examples, a storey building changing to 2-storey thereby imposing more loads on the suspended floor with resultant load on foundation. Creating additional rooms on suspended floors, changing the use of building, for example, converting residential to mini-factory whereby heavy duty equipment are placed on suspended floors. Also creating vibrations on suspended floors by breaking of slabs, beams, or exposing old foundation to flood and erosion may lead to structural failure.

Undue Interference of client on building works:

Sometimes the client makes serious changes and variations at advanced stage of construction with the contractor without seeking building consultants' advice.

Foundation failures: A building structure can collapse if founded on poor sub-soil, or if the building is not uniformly loaded or if suitable foundation was not specified according to soil nature or due to soil erosion or earth movement under the foundation.

Fire Outbreak: Most materials used in building construction and finishes are flammable (Olagunju, 2002). These materials for example, gloss paints encourage fire spread. Fire weakens structural members such as reinforcement bars and steel trusses. These materials fail in the process of providing supports to components and the main structure and in the event of fire, may lead to total or partial collapse of the building.

Natural Occurrences. In Nigeria, the most common natural events are heavy storm, high wind, flood, thunder, lightening and earthquakes. Many reported cases of building collapse in Nigeria caused by natural disasters have been reported by Arayela and Adam (2001). An example is a 3- Storey residential building, at Iju-Ishaga, Lagos (September, 1999)

EFFECTS OF BUILDING COLLAPSE

- Loss of life property and huge sum of capital. About 217 people lost their lives between 1974-2001 from Newspaper survey conducted by Arayela and Adam (2001)
- Loss of reputation and integrity leading to psychological trauma
- Loss of new commissions and contracts
- Withdrawal of practicing licenses
- Loss of materials and capital investments: Components and materials are damaged beyond re-use. Capital investments are not recoverable, leading to bankruptcy and high economic implications to the nation's economy.

RECOMMENDATION AND CONCLUSION

Recommendations.

- Proper planning, supervision and monitoring of construction activities should be institutionalized by policy makers to ensure that all buildings are constructed according to design, specifications and planning regulations.
- Professionals in the building industry should maintain their integrity and professional ethics and work in accordance to standard practice procedures laid down by the standard form of building contracts especially when they play in the hands of ignorant clients
- Urban or Town development agencies at various levels of government (commission, Board, Authority) should enforce control of building works in their localities as laid down in urban and regional planning decree 88, of 1992 and as in section 13 of National Building Code 2006.
- There is need to organize periodic public awareness campaign through electronic and print media to sensitize the public on advantages of using professionals as the way of realizing safe buildings.
- Standard organization of Nigeria should be vigilant to ensure that building materials imported into the country conforms to standard requirements.
- All building professionals play key roles to actualize their respective obligations during building production, using the wrong professionals at any stage of the building process put the building in danger. It is the duty of the architect as the prime consultant to direct the client to use the right professionals. This he achieves by ensuring that the structural and services drawings brought to his office are stamped and signed by professionals registered by their respective professional bodies before proceeding to planning authority for "building permit".
- Soil investigation, material tests and environmental impact assessment (E.I.A) should be made compulsory for all institutional, industrial and commercial buildings.

- All building plans tendered by any developer for approval must comply with the Nigeria's new building code and local bye laws and regulations.
- Standard organization of Nigeria, (SON) should monitor the standard of blocks moulded in block industries and impose minimum standard in terms of sand-cement ratios.
- There is need to empower and restructure available materials testing laboratories in the country.
- The National Assembly to make speedy passage of the bill on National Building Code.

CONCLUSION

It is a concluding fact that Nigeria has witnessed collapsed buildings in various dimensions, either those under construction or those already in existences. Causes were identified as mainly man-made but less often by forces of nature. Corruption as man-made factor manifest in greedy contractors and the tendency of clients or landlords to cheat resulting to the use of substandard materials, use of quacks and poor remuneration for building works and services. The building consultants are guilty of negligence, incompetency, poor supervision and the tendency to allow defective works intentionally for a fee or due to ignorance or inexperience.

There should therefore be a review of existing building laws that should guide standard code of practice and that should cover all grey areas in order to guarantee safety of buildings.

REFERENCES

- Adebayo, S.O (2000): Improving Building Techniques "Proceedings of Workshops on Building Collapse: Causes, Prevention and Remedies. The Nigerian Institute of Builders, Lagos State.
- Arayela, O and Adam J.J (2001): Building Disasters and Failures in Nigeria. Causes and Remedies. Journal of the Association of Architectural Educators in Nigeria (ARCHES). Vol. 1 No. 6 Sept. 2001.
- Ayedun, C.A, Durodola, O.D and Akinjare, O.A (2012): An Empirical Ascertainment of the Causes of Building Failure and Collapse in Nigeria. Mediterranean Journal of Social Sciences. Vol. 3 (1). January, 2012.
- Ede, A. N (2010a) Structural Stability in Nigeria and Worsening Environmental Disorder: The way forward. The West African Built Environment Conference Research Conference, Accra, Ghana, July, 76-78, PP. 489-498.
- Ikpo, I.Y (1998): Application of Weibull Distribution Technique in the Prediction (MTBF) of Building Component. Nigerian Journal of Constructions Technology and Management. Vol 1 No 1.P 79-87
- Madu, L.C (2005): Journal of Nigeria Institute of Architects (N.I.A) Architecture: research & Practice Vol. 1. No. 3 November 2005. ISSN 1597-2947. PP.
- Mohammed, L.Y (2011): An Overview into Procedures of Disputes Resolution in Construction Industry. Journal of Environmental Research and Policies Vol. 6. No.3 2011.

- Mohammed, S.M (2004): Appraisal of Sancrete Blocks As walling Unit in Nigeria. Environmental Watch Journal. Federal Polythenic, Bida Vol. 1. No. 1 PP. 251-257
- Olagunju, R.E (2002). Fire Safety Problems in the Tropics. A study of the Pharmaceutical Industry in Nigeria. Journal of Science, Technology and Mathematics (JOSTMED). Federal University of Technology. Minna Vol. 5. No. 1
- Olagunju, R.E, Aremu, S.C and Ogundele, J (2013): Incessant Collapse of Buildings in Nigeria: An Architects view. Journal of Civil and Environmental Research. ISSN 2224-5790 and ISSN 2225-0514 (Online) Vol. 3 No 4, 2013.
- Oloyode, S.A Omogun, C.B and Akinjare, O.A (2010): Tracking Causes of Building Collapse in Nigeria. Journal of sustainable Development Vol. 3. No. 3 PP. 127-132