_Published by European Centre for Research Training and Development UK (www.eajournals.org)

COMPARISON STUDY OF 3G AND 4G MOBILE TECHNOLOGY

Doaa hashim Osman¹, Amin babiker² and Khalid Hammed Bellal

¹Department of communication, Faculty of Engineering, AL Neelain university, Khartoum, Sudan ²Unversity of Science and Technology, Khartoum, Sudan

ABSTRACT: Third generation and fourth generation are standards for mobile communication. Standards specify how the airwaves must be used for transmitting information (voice and data). 3G networks were a significant improvement over 2G networks, offering higher speeds for data transfer. The improvement that 4G offers over 3G is often less pronounced. The objective of this paper is to compare 3G and 4G mobile technology using descriptive analysis and previous study.

KEYWORD: 3G, 4G, IEEE802.11, IEEE802.16, WIMAX, LTE, LAN, WLAN, CDMA, MTSO

INTRODUCTION

3G is called this name because it is the third generation of communication standards. It is also the general technology of mobile networks and passes the latest 2.5G. The technology is founded on the ITU or International Telecommunication Union group of standards which belongs to the IMT-2000.[1]

The definition of 4G has changed over the years. The technologies currently commercially available have been demanded by LTE (Long-Term Evolution) and WIMAX that they are advanced enough from 3G and thus claimed the right to connect 4G technology. However, in October 2010, the global standards group International Telecommunication Union declared that after long study, it had determined which technologies truly qualified for its IMT-Advanced label i.e. 4G (fourth-generation). The maximum velocity was at least 100 Mbps to qualify for the 4G label. Only two systems made the list: LTE-Advanced, an emerging version of LTE technology, and Wireless MAN-Advanced, the next version of WIMAX, also called WIMAX 2. Neither is commercially available yet.[2]

Specification of 3G and 4G:

3G Technology is designed for multimedia communication. It provides services like higher data transfer rates. One of its key insights is to provide seamless global roaming, allowing users to navigate across borders with the same number and phone. According to ITU it is expected that IMT-2000 will provide higher transmission rates: a minimum speed of 2Mbit/s for stationary or walking users, and 348kbit/s in a moving vehicle. [3]

3G transmission rate is between 128 and 144 kbps (kilobits per second) for faster moving devices and 384 kbps slower than (such as pedestrians). For fixed wireless <u>LANs</u>, the speed goes beyond 2 Mbps.

3G is a set of technologies and standards that include W-CDMA, WLAN and cellular radio, among others.

European Journal of Computer Science and Information Technology

Vol.6, No.4, pp.35-40, August 2018

_Published by European Centre for Research Training and Development UK (www.eajournals.org)

3G follows a pattern of 2G's that started in the early 1990's by the ITU. The style is In fact a wireless initiative called IMT-2000 (International Mobile Communications 2000).

And so the 3G comes after 2G and 2.5G, us in that General Package Radio Service (GPRS), Enhanced Data rates for GSM Evolution (EDGE), Universal Mobile Telecommunications System (UMTS) etc.[4]

One of the most important features of the use of 4G technology is the speed of data transfer, providing the user with high speed of data transfer with the possibility of doubling in high-speed Internet connection, which is one of the most important features of interest to the user as well as higher sound quality, but it must be said that speed varies From one company to another according to the network infrastructure of that company.

Among the features of the fourth generation technology is also the possibility of obtaining a higher degree of security and data protection, video transmission services, as well as international roaming better than it is currently.

In other words, it will enable users to watch HD videos quickly without having to wait for download, facilitate video conversations at high speed, and download a movie in less than 5 minutes to access it without an Internet connection.

Online gaming enthusiasts will be able to enjoy continuous play with their partners without

stopping to download. [5]

Architecture of 3G&4G



Fig(1) below provide the key components of the 3G architectures:

Fig (1): 3G architecture

A functional representation of 3G network architecture is shown in Fig (1). In this network, the Base Terminal Station (BTS)/NodeBs aggregate the radio access network (RAN) traffic and transport it over a mobile backhaul network to the Radio Network Controllers (RNCs)/Base Station Controller (BSCs). Typically this transport is over T1/E1 copper facilities. If the fibers are available at or near the location of the cell , the movement of the cell through the SDH/SONET rings or, more recently , a carrier Ethernet transferred when the eNodeBs are equipped with IP/Ethernet interfaces. The carrier traffic is sent from a

Published by European Centre for Research Training and Development UK (www.eajournals.org)

number of RNCs/BSCs to the Mobile Telephone Switching Office (MTSO) and then transmitted via direct tunnel to the Gateway GPRS Serving Nodes (GGSNs) in the hub data center. This transfer is usually over the SDH/SONET ring or the Ethernet network of the carrier. This accumulated structure is aggregation and transport gives way to the point-to-point network topology to reduce both the amount of required assembly equipment and land transport expense. [6]

In the pre 3G version 8 network, the RNCs and SGSNs were designed to support signaling and packet handling and bandwidth requirements. The focus of the design of these network elements is to provide the necessary processing to support the high subscriber numbers and Packet Data Protocol PDP contexts as the bandwidth requirements to provide 3G data services (text and e-mail) were not significant. Since the data services that usually run on these systems are not real-time service or latency was a problem. Therefore, the development of these elements is normally in locations that meet primarily the requirement of the PDP and the response time requirements of the network. Thus, the current generation of 3G packet is typically a central design of the network with the GGSNs networks deployed in the main data centers, all data services are placed from the SGSNs are strategically deployed in regional service offices. Since the total bandwidth of these services did not increase significantly until the last few years, intermediate transport costs could be controlled and could be supported by using TDM or lower rate OC-n/STM-n interfaces.[6]

Fig (2) below provide the key components of the 4G architectures:



Fig (2): 4G architecture

Fig (2) above provides a high-level functional representation of a LTE/4G network. This network is composed of three major sub-networks: the Evolved Universal Terrestrial Radio Access Networks (eUTRAN), which provides the air interface and local mobility management of the user equipment (UE), the evolved packet core (EPC), and the broadband connection network that provides aggregation of cell movement and transmission to EPC. The 3GPP LTE standards defined the EPC as a set of logical data and control plane functions that can be implemented either as integrated or as separate network elements. The four EPC functions are: the Serving Gateway (SGW), the Packet Data Network Gateway (PGW) that supports the data or bearer traffic; and the Mobility Management Entity (MME) and the Policy Charging and Rules Function (PCRF) which support the dynamic mobility management and policy control traffic. The transmission network either is owned by the wireless agent or leased by a third party service provider. Any number of transport technologies can be used in the links including packet carrier, packet visualization, Carrier Ethernet, IP/MPLS, GPON and xDSL.[7].

Published by European Centre for Research Training and Development UK (www.eajournals.org)

Application of 3G and 4G:

The 3G application are used for many application such as :

- The 3G mobile can be used as a modem for a computer that can access the internet and can download games and songs at high speed.
- > 3G technology provides high quality voice calls and video calls.
- View live TV broadcasting in mobile. Get Weather updates and news headlines in mobiles.
- 3G bit rate increase which helps service providers to provide high speed internet facility and many applications to their customers.
- 3G devices can provide data transmission speed up to 2mbits/s when used in stationary mode.
- > Provides multimedia services such as sharing of digital photos and movies.
- > This technology provides real time multi- player gaming and location-based services.
- ➤ 3G lets user to be online all the time and too have mobile office services, like virtual banking and online sales.
- > Teleconferencing at work is one of the best applications.[8]

While 4G application:

- 1. 4G will provide for a vast no. of presently nonexistent application for mobile devices.
- 2. 4G device will differ from present day mobile device in that there will be navigation menus.
- 3. 4G will provide a seamless network for users who travel & required uninterrupted voice/data communication.[8]

Previous Study:

In [9] the arrival of 4G is sure to revolutionize the field of telecommunication

domain bringing the wireless experience to a completely new level. The 3G technology has been completely absolute and the modern trends of technology are going on because quality of service and data reliability and data download and uploading need digital assistance.

In [10] from the comparing of two network models and the observed result it is concluded that 4G is more efficient than 3G. 4G network has high performance, which has showed by the measured and analyzed parameters, 4G has higher throughput, and less delay also queuing delay time in 3G is longer than 4G queuing delay time which caused more jitter in voice and RTP applications.

_Published by European Centre for Research Training and Development UK (www.eajournals.org)

In[11] Someday 4G networks may replace all existing 2.5G and 3G networks, perhaps even before a full deployment of 3G multiple 3G standards and springing up that would make it hard for 3G devices to be truly universal.

Comparison between 3G and 4G:

The specification of 3G and 4 G are depicted in table(1) below

Specifications	3G	4G
Frequency Band	1.8 – 2.5 GHz	2 – 8 GHz
Bandwidth	5-20 MHz	5-20 MHz
Data rate	Up to 2Mbps	20 Mbps or more
Access	Wideband CDMA	Multi-carrier – CDMA or OFDM(TDMA)
FEC	Turbo-codes	Concatenated codes
Peak Download Rate	100Mbit/s	1Gbit/s
Data Throughput	Up to 3.1mbps	3to5mbps but potential estimated at a range of 10 to300 mbps.
Frequency Band	1.8 – 2.5GHz	2 – 8GHz
Services And Applications	CDMA 2000, UMTS, EDGE etc	Wimax2 and LTE-Advance
Network Architecture	Wide Area Cell Based	Integration of wireless LAN and Wide area
Peak Upload Rate	50 Mbit/s	50 Mbit/s
Switching	Circuit/Packet switching	Packet switching

Table (1):specification comparison of 3G&4G

CONCLUSION

The major difference between 3G and 4G is velocity -4G get broadband to your phone. If you want to future-proof your mobile communications and entertainment, you need 4G, with speeds of up to ten times faster than 3G. With 4G, it has the latest and fastest phone network in the country, allowing you to watch live TV, stream movie or try multiple games on your phone. And there's also double speed 4G, already available in Sudan.

REFERENCES:

[1] Anders Eriksson (2017) *3G History and Background*, Available at: <u>http://www.cimahost.com/3g/index.php</u> (Accessed: 30 may 2017).

Published by European Centre for Research Training and Development UK (www.eajournals.org)

- [2] 3G_vs_4G, Available at: <u>http://www.diffen.com/difference/3G_vs_4G</u> (Accessed: 2nd may 2017 [3] 3G Technology, Available at: <u>https://www.engineersgarage.com/articles/what-is-3g-technologyspecifications</u> (Accessed: 2nd march 2017).
- [4] What Is 3G? Definition and Technical Specifications, Available at: <u>https://www.lifewire.com/whatis-3g-3426465</u> (Accessed: 3rd Jun 2017)
- [5] Abdu Ahmed Osman (2017) 'Enhancing Data Encryption using Elliptic Curve Cryptography (ECC) Algorithm in 4G Networks', *International Journal of Advanced Research in Computer Science and Software Engineering*, 7(2277-128X), pp.
- [6] Arun Kumar, Suman and Renu (2013) 'Comparision of 3G Wireless Networks and 4G Wireless Networks', *International Journal of Electronics and Communication Engineering*, 6(0974-2166), pp. .
- [7] (n.d.) ' Architectural Shift from 4G to 5G Wireless Mobile Networks ', *International Journal of computer sciencs and mobile computing*, 3(2320 088X), pp. .
- [8] C.Theebendra, S.Yuvabarathi, M.K.Pavithra (2014) 'Network Evolution in 3G / 4G: Applications and Security Issues', *International Journal of Computer Science Engineering and Technology*(*IJCSET*), 4(2231-0711), pp. .
- [9] Adnan Majeed M.Phil (2015) 'Comparative Studies of 3G, 4G & 5G Mobile Network & Data Offloading Method a Survey ', *International Journal of Research in Information Technology*, 3(20015569), pp. .
- [10] Dina Mohammed Hassan Al-Zubair, Amen Babikr Abdal-Nabi (2013) 'QoS Comparison between UMTS 3G Network and WIMAX 4G Network', *International Journal of Science and Research (IJSR)*, 6.14(2319-7064), pp. .
- [11] K. Kumaravel (2011) 'Comparative Study of 3G and 4G in Mobile Technology', *IJCSI International Journal of Computer Science Issues*, 8(16940814), pp. .